


# NEW from



## Internal Vacuum Breaker



## Freezeless Wall Hydrant


- Approved to ASSE 1019-A and UPC
- Smartturn 180 Half-Turn Operation
- Satin Nickel Plated Cast Brass Body
- High Impact Operating Handle
- Uses Standard Mansfield Style parts from Prier
- Available in 6 Different Inlet Options
- Manufactured by Prier in Kansas City, MO
- Includes Siding Wedge for simple installation
- Spout Alignment mark on Seat
- Each valve factory tested to hold 80 psi



### Inlet Options & Pricing


Part No.	Inlet	4"	6"	8"	10"	12"	14"
408	1/2" MIP x 1/2" SWT	\$27.98	\$29.56	\$31.16	\$32.74	\$34.33	\$35.92
409	3/4" MIP x 1/2" FIP	\$29.97	\$31.66	\$33.22	\$34.77	\$36.33	\$37.89
410	1/2" CPVC	--	--	\$35.54	--	--	--
412	3/4" MIP x 3/4" SWT	\$29.10	\$30.74	\$32.41	\$34.05	\$35.60	\$37.39
420	1/2" PEX	\$29.17	\$30.82	\$32.48	\$34.14	\$35.79	\$37.45
421	3/4" PEX	\$30.92	\$32.50	\$34.10	\$35.68	\$37.27	\$38.86
<b>Carton Wt</b>	<b>24 Pcs</b>	31 Lbs	32 Lbs	34 Lbs	36 Lbs	37 Lbs	43 Lbs

### How it works....




#### Closed Position

1. Valve is closed
2. Backflow and Vacuum Device (A) in the Sealed position



#### Valve is Flowing

1. Valve is in the Open Position
2. Backflow and Vacuum Device (A) in the sealed position, allowing water to flow.



#### Vacuum Condition

1. Valve is in the Open Position
2. Backflow and Vacuum Device (A) open, allowing air in through stem (B), breaking vacuum (C) and keeping potable water safe.

Prier Products, Inc. 4515 East 139th St. Grandview, MO 64030 USA

800-362-9055 Fax 800-362-1463 [www.PRIER.com](http://www.PRIER.com)